
Transport Systems in Plants

**7.** (a) The rate of transpiration in plants can be measured using the apparatus shown below.

As the plant transpires, coloured water is drawn up the glass tube and its volume measured, over a set period of time, to give the rate of transpiration.



Changes in the surrounding environment can have an effect on the rate of transpiration.

(i) Select **one** of the environmental changes listed below by circling

increase in	increase in	increase in
humidity	temperature	wind speed

State the effect of this change on the rate of transpiration.

1


1

(ii) Choose any of the environmental changes listed above and describe an addition to the apparatus shown, which would allow an investigation into its effect.

Environmental change \_\_\_\_\_

Description of addition \_\_\_\_\_

(b) The graph below shows transpiration rates of two plants, P and Q.




(i) With reference to the number of stomata, suggest a reason for the different transpiration rates of plants P and Q.

1

- (ii) Name the type of cells which control the opening and closing of stomata.
- **10.** Which of the following shows the passage of water through the tissues when it enters a plant?
  - A root hair → xylem → spongy mesophyll
  - B root hair → spongy mesophyll → xylem
  - C spongy mesophyll → xylem → root hair
  - D xylem → spongy mesophyll → root hair

8. A student investigated the link between transpiration rate and the number of leaf stomata.


A microscope was used to look at the number of stomata on a leaf surface of plant species  ${\bf A}$  as shown.



The	area	shown on the diagram above measures 0·04 mm².			
(a)	Calculate the expected number of stomata present in 1 mm² on this leaf surface.				
	Space	e for calculation			
(b)	A leaf from another plant, species B, had fewer stomata per mm <sup>2</sup> of leaf surface and a different rate of transpiration.				
		s concluded that the number of stomata present affects the rate of piration.			
	(i)	Suggest an advantage to plant species B of having fewer stomata.	1		
	(ii)	Tick ( ) one box below to show the environmental condition to which this plant has become best adapted.	1		
		Dry Cool Moist			


- 13. An increase in which of the following factors would decrease the rate of transpiration in plants?
  - A Wind speed
  - B Humidity
  - C Surface area
  - D Temperature

12. The diagram represents a section through a leaf.



(a)	(1)	Name tissue w.	1
	(ii)	The cells in tissue W have a greater number of chloroplasts than other leaf cells.	
		Suggest the advantage of these cells being located near the upper surface of the leaf.	1
(b)	The	leaf vein consists of xylem and phloem tissues.	
		se either xylem or phloem, by ticking one box, and describe one tural feature of that tissue.	1
	Xyler	m Phloem	
	Feat	ure of tissue	

(b) The diagram below shows three parts of a plant.



Describe the structures and processes involved as water moves through the plant from the soil to the air.

3