



**2013 Chemistry**

**Intermediate 2**

**Finalised Marking Instructions**

© Scottish Qualifications Authority 2013

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from SQA's NQ Assessment team.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's NQ Assessment team may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

## Part One: General Marking Principles for Chemistry Intermediate 2

This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this Paper. These principles must be read in conjunction with the specific Marking Instructions for each question.

- (a) Marks for each candidate response must always be assigned in line with these general marking principles and the specific Marking Instructions for the relevant question. If a specific candidate response does not seem to be covered by either the principles or detailed Marking Instructions, and you are uncertain how to assess it, you must seek guidance from your Team Leader/Principal Assessor.
- (b) Marking should always be positive ie, marks should be awarded for what is correct and not deducted for errors or omissions.

### GENERAL MARKING ADVICE: Chemistry Intermediate 2


The marking schemes are written to assist in determining the “minimal acceptable answer” rather than listing every possible correct and incorrect answer. The following notes are offered to support Markers in making judgements on candidates’ evidence, and apply to marking both end of unit assessments and course assessments.

#### General information for markers

The general comments given below should be considered during all marking. It should be noted that these are general marking principles and may be superseded by decisions made at the Markers’ Meeting.

1. Markers are reminded to read candidate responses **in their entirety**. If the candidate shows a clear understanding of the chemistry but does not use the exact words of the Marking Instructions they should still be given credit.
2. Markers are reminded that **no** comments are to be written on scripts. Comments such as ‘ARITH’, ‘ERROR’ and ‘BOD’ (Benefit of doubt) are **not** acceptable.
3. A guiding principle in marking is to give credit for (partially) correct chemistry rather than to look for reasons not to give marks.

**Example 1:** The structure of a hydrocarbon found in petrol is shown below.



Name the hydrocarbon.

Although not completely correct, the answer ‘3, methyl-hexane’ should gain the full mark ie ignore wrong use of commas and dashes.

**Example 2:** A student measured the pH of four carboxylic acids to find out how their strength is related to the number of chlorine atoms in the molecule. The results are shown.

Structural formula	pH
CH <sub>3</sub> COOH	1.65
CH <sub>2</sub> ClCOOH	1.27
CHCl <sub>2</sub> COOH	0.90
CCl <sub>3</sub> COOH	0.51

How is the strength of the acids related to the number of chlorine atoms in the molecule?

Although not completely correct, an answer such as ‘the more Cl<sub>2</sub>, the stronger the acid’ should gain the full mark.

4. Marks should **not** be deducted for incorrect spelling or loose language as long as the meaning of the word(s) is conveyed.

**Example:** Answers like “hydrolic acid” (for “hydrochloric acid”) and “it gets hotter” (for “the temperature rises”) should be accepted.

However the example below would not be acceptable, as an incorrect chemical term, which the candidate should know, has been given.

**Example:** If the correct answer is “ethene”, and the candidate’s answer is “ethane”, this should not be accepted.

5. A right answer followed by a wrong answer should be treated as a cancelling error and no marks should be given.

**Example:** What is the colour of universal indicator in acid solution?

The answer “red, blue” gains no marks.

6. If a right answer is followed by additional information which does not conflict, the additional information should be ignored, whether correct or not.
7. Full marks should be awarded for the correct answer to a calculation on its own; the part marks shown in the Marking Instructions are for use when working is given.
8. A half mark should be deducted in a calculation for each arithmetic slip.
9. A half mark should be deducted for incorrect or missing units **only when stated in the Marking Instructions.**

10. A half mark should be deducted for transcription errors.
11. Where a wrong numerical answer (already penalised) is carried forward to another step, no further penalty is incurred provided the end result is used correctly.
12. Ignore the omission of one H atom from a full structural formula provided the bond is shown.
13. A symbol or correct formula should be accepted in place of a name **unless stated otherwise in the Marking Instructions**.
14. If an answer comes directly from the text of the question, no marks should be given.

**Example:** Why do ionic compounds, like copper chloride, conduct electricity when in solution?


No marks for "because they are ionic" since the word "ionic" appears in the text.

15. Unless the question is clearly about a non-chemistry issue, eg costs in industrial chemistry, a non-chemical answer gains no marks.

**Example:** Why does the (catalytic) converter have a honeycomb structure?

A response such as "to make it work" may be correct but it is not a chemical answer and the mark should not be given.

16. With structures involving an – OH or an – NH<sub>2</sub> group, a half mark should be deducted if the 'O' or 'N' are not bonded to a carbon, ie OH – CH<sub>2</sub> and NH<sub>2</sub> – CH<sub>2</sub>.
17. When drawing structural formulae, a half mark should be deducted if the bond points to the 'wrong' atom, eg



18. When formulae of ionic compounds are given as answers it will only be necessary to show ion charges if these have been specifically asked for. However, if ion charges are shown, they must be correct. If incorrect charges are shown, no marks should be awarded.
19. When it is very difficult to make a decision about a partially correct answer, a half mark can be awarded.
20. When marks have been totalled, a half mark should be rounded up.

**Part Two: Marking Instructions for each Question**

**Section A**

Question		Acceptable Answer
1		B
2		A
3		B
4		B
5		C
6		A
7		B
8		A
9		D
10		C
11		C
12		C
13		B
14		C
15		B

Question		Acceptable Answer
16		B
17		D
18		C
19		D
20		A
21		C
22		A
23		D
24		A
25		D
26		D
27		A
28		A
29		B
30		D

## Section B

Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
1	a	i	Red	1		Red + any other colour will cancel
1	a	ii	Same group/ Same number of outer electrons/ Both in group 2/ Same column/ Both alkaline earth metals Same chemical group  Ignore additional correct or incorrect information	1		Contain 2+ ions/ Same electron arrangement/ Similar electron arrangement/ Strontium is below calcium/ Same valency Similar chemical properties  None cancelling
1	b		LH electrode = positive/+ RH electrode = negative/-  Both correct for mark	1		
2	a		<b>Time</b> until cross can no longer be seen/ Rate = 1/time 1/time 1/t 1/T Time until reaction is finished	1		How long it takes/ 1/time for rapid distinct colour change/ Until you can no longer see the cross Colour change/ How fast/ How quick s <sup>-1</sup>
2	b		Concentration of sodium thiosulphate/ Volume of sodium thiosulphate/ Concentration of hydrochloric acid/ Volume of hydrochloric acid/ (Size of) beaker used Same cross/ Volume of reactants Same person viewing cross Depth of solution (Volumes of each) solution Concentration of reactants Volumes (used) Concentration (used)	1		Temperature/ Amount of acid/ Same size of test tube Number of moles of acid or sodium thiosulphate Depth of beaker Strength of acid

Question		Acceptable Answer/s	Max Mark	½ mark	Unacceptable
2	c	<p>Carried out in a fume cupboard/ Don't breath in fumes/ Take care with sulphur dioxide given off/</p> <p>Any answer that gives an indication that sulphur dioxide produced is toxic/poisonous/</p> <p>Conical flask (could be used instead of beaker)/ Add sodium carbonate (at end of reaction to limit the release of sulphur dioxide)/ Carry out experiment in a well-ventilated room Open windows</p>	1		<p>Gloves/ Lab coat/ Sodium thiosulphate is an irritant Temperature of glass Point away from person</p>
2	d	<p>Na<sup>+</sup>/ Cl<sup>-</sup></p> <p>Only one is needed to be circled can be on either side of equation</p> <p>Named ion – sodium or chloride</p>	1		<p>Chlorine Sodium or chloride circled + another ion</p>
3	a	<p>Hydrogen/ H<sub>2</sub>/ H</p>	1		<p>h/ H<sup>2</sup>/ H2</p>
3	b	$\frac{72 - 0}{40} = 1.8$ <p>Or 1.8 on its own</p>	1	<p>½ mark – working only</p> $\frac{72}{40}$ <p>½ mark – arithmetic error</p>	
3	c	0	1		
3	d	<p>Slower/ Decreases/ Less/ Take longer to react/ Lower rate of reaction/ Increases the time</p>	1		<p>Decreases the time/ It's a weak acid/ Less reactive Takes longer, increases rate Longer and rate incorrect –cancels</p>

Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
4	a		Proton = 1 Neutron = 2 Electron = 1  All 3 for 1 mark	1		
4	b		Protium/ Top one/ 1	1		one
5	a		Polar covalent/ polar Ionic Polar covalent molecular Polar covalent network	1		Covalent/ Hydrogen Van der waals
5	b	i	Increases and drops/decreases to zero increases then decreases  increases as the atomic number increases	1		any description of the pattern in the graph (increases, drops, increases, drops)/  as they increase so does the atomic number (wrong cause and effect)
5	b	ii	Greater than 0.7 but less than 1.2/ Accept numerical value	1		Drawn at 2, 10,18
6	a		$\frac{1.57}{157} = 0.01$ moles  0.01 moles on its own	1	½ mark – working only $\frac{1.57}{157}$  ½ mark – arithmetic error	
6	b		(Covalent)Network/ Lattice	1		Covalent Giant molecule Ionic - cancels




Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
6	c		$\text{Ca}_3(\text{PO}_4)_2$ $(\text{Ca}^{2+})_3(\text{PO}_4^{3-})_2$ $(\text{Ca}^{2+})_3(\text{PO}_4)_2$ $\text{Ca}_3(\text{PO}_4^{3-})_2$	1		
7	a		carbon dioxide/ $\text{CO}_2$	1		incorrect formula
7	b	i	$\frac{100 \times 70.4}{56.3} = 125.04 \text{ rounded to } 125$ Accept 125 or 125.04 on its own	1	Working only $\frac{100 \times 70.4}{56.3}$  ½ mark – arithmetic error	
7	b	ii	£130	1		
8	a		(Different) boiling points	1		Melting points/ Molecular size/ Number of carbon atoms/ viscosity  None cancel
8	b		Increasing number of carbon atoms Increases viscosity(thickness)/ Decreasing carbon atoms will decrease viscosity(thickness)/ More carbons, greater viscosity(thickness)/	1		Any mention of relating number of carbon atoms to position of ball in measuring cylinder/  The higher the hydrocarbons the higher the viscosity  The higher the number of hydrocarbons the higher the viscosity

Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
8	c		2,3-dimethylbutane/ 2,3 dimethylbutane/ 2-3 dimethylbutane/ 23- dimethylbutane  Accept loose spelling of methyl and butane but ane must be present eg buthane Accept (di) Accept spaces between di and methyl and butane  Ignore wrong use of commas and dashes	1		
9	a		$  \begin{array}{c}  \text{H} \\    \\  \text{H}-\text{C}-\text{C}=\text{O} \\    \quad   \\  \text{H} \quad \text{H}  \end{array}  $ and  $  \begin{array}{c}  \text{H} \quad \text{H} \quad \text{H} \quad \text{H} \\    \quad   \quad   \quad   \\  \text{H}-\text{C}-\text{C}-\text{C}-\text{C}=\text{O} \\    \quad   \quad   \\  \text{H} \quad \text{H} \quad \text{H}  \end{array}  $ both required for 1 mark  allow one missing H or one missing C to H bond	1		No 5 bonded carbons
9	b	i	Butanoic acid Accept loose spelling – must have oic acid Ignore number 1 ie but-1-anoic acid	1		
9	b	ii	Turns lime water milky/chalky/cloudy	1		lime water test

Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
10	a		Thermoplastic/ thermalplastic	1		
10	b	i	$  \begin{array}{cccccc}  \text{F} & \text{F} & \text{F} & \text{F} & \text{F} & \text{F} \\    &   &   &   &   &   \\  \text{---C} & \text{---C} & \text{---C} & \text{---C} & \text{---C} & \text{---C} \\    &   &   &   &   &   \\  \text{F} & \text{F} & \text{F} & \text{F} & \text{F} & \text{F}  \end{array}  $ <p>both end bonds must be present, dotted lines, squiggles / allow one missing C to F bond/ allow one missing F don't penalise for size/shape of F must have 6 carbons ignore brackets</p>	1	only 1 end bond	missing C to C bond/ no end bonds FI Carbon to carbon double bond F at end
10	b	ii	Addition/ additional	1		
10	c		Carbon monoxide/ CO	1		HF F <sub>2</sub> O F <sub>2</sub>
11	a		2,8,8 2)8)8 2,8,8,0  Accept commas or brackets or dots	1		8,8,2/ 2,8,8,2
11	b	i	$  \begin{array}{cc}  \text{O} & \text{H} \\     &   \\  \text{---C} & \text{---N} \text{---}  \end{array}  $	1		

Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
11	b	ii	$  \begin{array}{c}  \text{SH} \\    \\  \text{H} \quad \text{CH}_2 \quad \text{O} \\    \quad   \quad    \\  \text{H} - \text{N} - \text{C} - \text{C} - \text{OH} \\    \\  \text{H}  \end{array}  $ <p>or</p> $  \begin{array}{c}  \text{COOH} \\    \\  \text{H} \quad \text{CH}_2 \quad \text{O} \\    \quad   \quad    \\  \text{H} - \text{N} - \text{C} - \text{C} - \text{OH} \\    \\  \text{H}  \end{array}  $ <p>or</p>	1	If bond goes to wrong atom	
			$  \begin{array}{c}  \text{CH}_3 \\    \\  \text{H} \quad \text{HCOOH} \quad \text{O} \\    \quad   \quad    \\  \text{H} - \text{N} - \text{C} - \text{C} - \text{OH} \\    \\  \text{H}  \end{array}  $ <p>COOH /H<sub>2</sub>N written instead of drawn Ignore any attempt to draw out HCOOH in 3<sup>rd</sup> amino acid – all other COOH groups must be correct</p>			
12	a		$  \begin{array}{c}  \text{O} \\     \\  -\text{C}-\text{O} \quad \text{or} \\  \text{O} \\     \\  \text{C}-\text{O} \quad \text{or} \\  \text{O} \\     \\  -\text{C}-\text{O}-  \end{array}  $ $  \begin{array}{c}  \text{O} \\     \\  \text{C}-\text{O}-  \end{array}  $	1		
12	b		Hydrolysis	1		Digestion hydration

Question		Acceptable Answer/s	Max Mark	½ mark	Unacceptable
12	c	$\frac{8.9}{890}$ 0.01 mole	½	2	Allow follow through if made a mistake in calculation/ arithmetic error
		$0.01 \times 3 = 0.03$ moles	½		
		GFM stearic acid = 284	½		
		Mass of stearic acid = $0.03 \times 284 = 8.52$	½		
		1 mole → 3 moles	½		
		890g → $3 \times 284$ g (½ for GFM for stearic acid)			
		$8.9 \rightarrow \frac{8.9}{890} (\frac{1}{2}) \times 852$ g ( $3 \times 284$ )			
Mass of stearic acid = 8.52g	½				

Question			Acceptable Answer/s	Max Mark	½ mark	Unacceptable
13	a	i	Any value less than 7/ Accept acid pH number range eg 3 to 6	1		7 and any value higher than 7
13	a	ii	 Can include C to O bond	1		if OH on carboxyl has been circled/ circled C to OH
13	b		Label both axes + units (%)      ½ Scale                                      ½ Plotting points                      ½ Join points                              ½  Allow 1 plotting error Allow ½ box tolerance in plotting Less than half graph paper used – minus ½ Plot at 0/0 is not joined to plot 2/50 – minus ½  Axes can be reversed	2		
14	a		To place zinc, magnesium and copper(metals) in order of reactivity Order of reactivity of metals  Ignore any mention of potassium permanganate	1	To find out which <u>metal</u> reacts best/ fastest	
14	b		To supply oxygen/O/O <sub>2</sub> Oxidising agent Oxidiser	1		To act as a catalyst - cancels To allow metal to react

Question		Acceptable Answer/s	Max Mark	½ mark	Unacceptable
14	c	<p>Magnesium – very fast reaction/ fast/ fastest Bursts into flames/ Burns with a bright white light</p> <p>Copper – dull glow/ no reaction Slow/ slowest Moderately slow</p> <p>Both must given for 1 mark</p>	1		
14	d	<p>Potassium will explode/ Potassium is too reactive/ Boiling tube will explode/ Test tube will break Reacts too vigorously/ React violently/ Light bright enough to blind people/ Extremely reactive Too ferocious</p>	1		<p>It reacts/ Highly reactive/ Too dangerous Too flammable/ Highly flammable</p>
15	a	<p>Less reactive/ Lower down in ECS/ Sodium is more reactive/ Not as reactive as sodium/ Not very reactive/ Lower than sodium It is unreactive</p>	1		<p>Sodium is similar to titanium Slow at reacting</p>
15	b	<p><math>\text{Na} \longrightarrow \text{Na}^+ + \text{e}</math> <math>\text{Na} - \text{e} \longrightarrow \text{Na}^+</math></p> <p>Ignore state symbols Correct symbols to be used</p>	1		<p>Use of = sign</p>
15	c	<p>Unreactive</p> <p>To stop sodium reacting with air So oxygen isn't present (to react with either metal)</p> <p>Full outer (electron) shell Stable outer shell</p>	1		<p>No reference to titanium or titanium chloride Eg to stop titanium reacting with air</p>

[END OF MARKING INSTRUCTIONS]